

PT IFTCO INDO PERKASA

Sales - Service - Spare Parts - Rental
Trade In (Tukar Tambah)

CATALOGUE PRODUCT



HELI

Mantall

Marco



GC70

GC30

TL20C-B1

SC30D-B1

CJ16G-A1

ZK10Q-B1

GJ18J-A1

GJ18J-A2



YT09G-A1

ZJ27R-B4

YX18G-A5

RJ25ST-B4

XC15G-B1

YM45G-B1

RJ30RT-B1

ZK27G-B1

FORKLIFT BATTERY / ELECTRIC (THREE WHEEL) (FOUR WHEEL)



CPDFB.Ex



CPD 10
CPD 15
CPD 18
CPD 20



CPD 10
CPD 15
CPD 18
CPD 20
CPD 25



CPD 30
CPD 35

Description Product

Forklift 3 Wheel

Model	Capacity	Fork Height	Battery	Charger	Controller (AC Type)
CPD10	1.000Kg	2.000mm-6.500mm	48V - 420 Ah	48V-60A	Curtis / ZAPI
CPD15	1.500Kg	2.000mm-6.500mm	48V - 420 Ah	48V-60A	Curtis / ZAPI
CPD18	1.750Kg	2.000mm-6.500mm	48V - 480 Ah	48V-70A	Curtis / ZAPI
CPD20	2.000Kg	2.000mm-6.500mm	48V - 600 Ah	48V-70A	Curtis / ZAPI

Forklift 4 Wheel

Model	Capacity	Fork Height	Battery	Charger	Controller (AC Type)
CPD10	1.000Kg	2.000mm -6.000mm	48V - 400 Ah	48V-60A	Curtis / ZAPI
CPD15	1.500Kg	2.000mm -6.000mm	48V - 400 Ah	48V-60A	Curtis / ZAPI
CPD18	1.750Kg	2.000mm -6.000mm	48V - 550 Ah	48V-60A	Curtis / ZAPI
CPD20	2.000Kg	2.000mm -6.000mm	48V - 600Ah	48V-70A	Curtis / ZAPI
CPD25	2.500Kg	2.000mm -6.000mm	48V - 600Ah	48V-70A	Curtis / ZAPI
CPD30	3.000Kg	2.000mm -6.000mm	80V - 480Ah	48V-80A	Curtis / ZAPI
CPD35	3.500Kg	2.000mm -6.000mm	80V - 480Ah	48V-80A	Curtis / ZAPI
CPD10.Ex	1.000Kg	2.000mm -7.000mm	48V - 440 Ah	48V-80A	Curtis / ZAPI
CPD35.Ex	3.500Kg	2.000mm -7.000mm	72V - 600 Ah	48V-80A	Curtis / ZAPI

FORKLIFT DIESEL (SOLAR) GASOLINE (LPG)



CPCD 10 - CPCD 35



CPQD 10 - CPQD 35



CPCD 50 - CPCD 100

Description Product

Forklift Diesel

Model	Capacity	Fork Height	Engine Model
CPCD10 - CPCD35	1.000Kg - 3.500Kg	2.000mm - 7.000mm	ISUZU C240 PKJ-30
CPCD40 - CPCD50	4.000Kg - 5.000Kg	2.600mm - 6.300mm	MITSUBISHI S6S-230
CPCD50 - CPCD100	5.000Kg - 10.000Kg	2.500mm - 7.000mm	ISUZU 6BG1

Forklift Gasoline

Model	Capacity	Fork Height	Engine Model
CPQD10 - CPQD35	1.000Kg - 3.500Kg	3.000mm - 6.000mm	Nissan K25
CPQD40 - CPQD50	4.000Kg - 5.000Kg	2.600mm - 6.300mm	Nissan TB42A4GR1

Only Gasoline / LPG (Single Fuel)

Gasoline & LPG (Double Fuel)

CONTAINER HANDLER



CPCD250EC7 - 8VDG

CPCD140CU2 - CPCD460VO

RSH4528VO - RSH4536VO

Description Product

Container Handler

Model	Capacity	Max. Handling Layers	Mast Lifting Height	Engine	Transmission
CPCD250EC7-VDG	7ton -10ton	7(8'6")	16.500mm	VOLVO TAD720VE	DANA TE27
CPCD250EC8-VDG	7ton -10ton	8(8'6")	19.000mm	VOLVO TAD720VE	DANA TE27

Reach Stacker

Model	Capacity (KG)	Load Center (mm)	Engine	Transmission	Front Axle
RSH4528-VO	45.000/28.000/14.000	1.800/3.850/6.400	VOLVO/TAD952VE	DANA TE27	Kessler
RSH4532-VO	45000/32.000/16.000	1.800/3.850/6.400	VOLVO/TAD952VE	DANA TE27	Kessler
RSH4536-VO	45.000/36.000/19.000	1.800/3.850/6.400	VOLVO/TAD952VE	DANA TE27	Kessler

Forklift Diesel / Balance Weight

Model	Capacity	Fork Height	Engine Model
CPCD140-CU2 - CPCD160-CU2	14.000Kg - 16.000Kg	3.000mm - 6.500mm	Cummins QSB6.7
CPCD200-VO - CPCD250-VO	20.000Kg - 25.000Kg	3.000mm - 6.500mm	VOLVO TAD720VE
CPCD280-VO - CPCD320-VO	28.000Kg - 32.000Kg	3.000mm - 6.500mm	VOLVO TAD721VE
CPCD420-VO - CPCD460-VO	40.000Kg - 46.000Kg	3.000mm - 6.500mm	VOLVO TAD95VE

WHEEL LOADER

ZL16F



ZL18F



ZL35F



ZL36F



Description Product

Wheel Loader

Model	Capacity Bucket	Engine	Tranmission	Rated Load
ZL16F	0.6 m ³	YUNNEI 490	TORQUE Converter JY240	3.600kg
ZL18F	0.8 m ³	YUNNEI 490 TURBO	TORQUE Converter JY265	4.800kg
ZL35F	1.5 m ³	Weichai Deutz	TORQUE Converter JY280	7.200kg
ZL36F	1.8 m ³	Weichai Deutz	TORQUE Converter JY320	9.700kg

TOWING TRACTOR

QYD 30S - E1



QYD 30S - L2



QYQD 20 - QYQD 25



QYCD 25 - W1

Description Product

Diesel

Model	Engine	Capacity
QYCD25 - W1	Isuzu 4JG2	2.500Kg
QYCD35 - W1	Isuzu 6BG1 QC - 02	3.500Kg - 5.000Kg

Gasoline

Model	Capacity	Fuel
QYQD20 - QYQD25	2.000Kg - 2.500Kg	Only Gasoline
QYQYD20 - QYQYD25	2.000Kg - 2.500Kg	Gasoline & LPG

Electric

Model	Capacity	Charger
QYD30S-E1 - QYD60S	3.000Kg - 6.000Kg	24V - 35A - 24V - 60A
QYD30S - L2	3.000Kg	24V - 35A

REACH TRUCK

(STAND UP) (SIT DOWN)



CQD 16 - GA2S
Sit Down



CQD 20 - GB2S
Sit down



CQD 15 - GA2R
Stand Up

Description Product

Model	Capacity	Operation	Fork Height	Battery voltage	Fork Size	Attachment	Charger
CQD16-GA2S	1.600Kg	Sit Down	2.900mm - 8.500mm	48V/600Ah	45mm x 100mm x 1.070mm	With Side Shifter	48V 80A
CQD20-GA2S	2.000Kg	Sit Down	2.900mm - 8.500mm	48V/600Ah	45mm x 125mm x 1.200mm	With Side Shifter	48V 80A
CQD15-GA2R	1.500Kg	Stand Up	2.000mm - 6.000mm	48V/320Ah	45mm x 100mm x 920mm	With Side Shifter	48V 70A
CQD20-GB2S	2.000Kg	Sit Down	4.600mm - 12.500mm	48V/560Ah	40mm x 122mm x 1.150 mm	With Side Shifter	48V 80A

STACKER FULL ELECTRIC



CQD 12 - 810 / 15 -810
Reach



CDD 12 - 970
Counter Balance



CDD 16 - 950
Narrow Legs



CDD - 960
wide legs

Description Product

Stacker Full Elektrik

Model	Type	Mast Type	Load Capacity	Fork Size (length/width/thickness)	Mast Height
CDD12-970	Counter Balance	2 Stage STD	1.200Kg	1.070mm/100mm/40mm	2.000mm - 3.600mm
CDD12-910	Counter Balance	2 Stage FFL	1.200Kg	1.070mm/100mm/40mm	2.000mm - 3.300mm
CDD12-030	Narrow Legs	2 Stage STD	1.200Kg	1.150mm/185mm/55mm	3.000mm - 4.000mm
CDD14-930	Narrow Legs	2 Stage STD	1.400Kg	1.150mm/185mm/55mm	3.000mm - 4.000mm
CDD14-920	Wide Legs	2 Stage STD	1.400Kg	1.070mm/100mm/40mm	3.000mm - 4.000mm
CDD14-980	Narrow Legs	2 Stage FFL	1.400Kg	1.150mm/185mm/55mm	2.000mm - 3.300mm
CDD16-D930	Narrow Legs	2 Stage STD	1.600Kg	1.150mm/185mm/55mm	3.000mm - 4.000mm
CDD16-D920	Wide Legs	2 Stage STD	1.600Kg	1.070mm/100mm/40mm	3.000mm - 4.000mm
CDD16-950	Narrow Legs	3 Stage FFL	1.600Kg	1.150mm/185mm/55mm	3.000mm - 5.000mm
CDD16-960	Wide Legs	3 Stage FFL	1.600Kg	1.070mm/100mm/40mm	3.000mm - 5.000mm
CQD12-810	Reach	3 Stage FFL	1.200Kg	1.070mm/100mm/40mm	1.400mm - 4.500mm
CQD15-810	Reach	3 Stage FFL	1.500Kg	1.070mm/100mm/40mm	1.400mm - 4.500mm

HAND PALLET ELECTRIC (PALLET MOVER)



Description Product

Model	Load Capacity	Charger & Battery	Wheel Base	Controller
CBD13 - 600	1.300Kg	15A - 70Ah	1.165mm	Curtis - Current 200A
CBD15 - 610	1.500Kg	15A - 70Ah	1.234mm	Curtis - Current 200A
CBD20 - 100	2.000Kg	50A - 210Ah	1.505mm	Curtis - Current 200A
CBD20 - 460	2.000Kg	50A - 270Ah	1.390mm	Curtis - Current 200A
CBD20 - 470	2.000Kg	50A - 280Ah	1.493mm	Curtis - Current 200A
CBD20 - 150	2.000Kg	50A - 270Ah	1.480mm	Curtis - Current 200A
CBD25 - 460	2.500kg	50A - 280Ah	1.493mm	Curtis - Current 200A


SCISSOR LIFT



XE Series



XEA Series



XDW Series



XE Series Mini

Description Product

Scissor Lift

Model	Working Height	Capacity	Power Source AC/DC	Weight
XE Series	6.500mm - 16.000mm	230Kg - 550Kg	4 x 6V : 225Ah	1.170Kg - 3.300Kg
XE Mini Series	5.000mm - 8.000mm	200Kg - 240Kg	24V 95Ah - 150Ah	550Kg - 900Kg
XDW Series	12.000mm - 18.000mm	680Kg - 1140Kg	Diesel Engine Or Large Capacity Battery	5.500Kg - 7.600Kg
XD Series	10.000mm - 14.000mm	345Kg - 567Kg	Diesel Engine Or Large Capacity Battery	3.195Kg - 4.500Kg
XEM Series	5.000mm - 18.000mm	300Kg - 1.000Kg	AC220V / 380V	450Kg - 2.680Kg
XEM Mini Series	4.500mm - 5.000mm	240Kg	12V 95Ah	315Kg - 350kg
XEA Series	5.000mm - 18.000mm	300Kg - 1.000Kg	DC24V	540Kg - 2.900Kg

ARTICULATING & TELESCOPIC (BOOM LIFT)



HZ Series RT



HT Series



HZ Series DC

Description Product

Articulating & Telescopic (Boom Lift)

Model	Working Height	Capacity	Power Source	Weight
HT Series	20.000mm - 41.000mm	250Kg - 340Kg	Diesel Motor	9.640Kg - 20.580Kg
HZ Series DC	14.000mm - 18.000mm	230Kg	DC12V	6.300Kg - 9.500Kg
HZ Series RT	14.000mm - 26.000mm	230Kg	Diesel Motor	6.300Kg - 15.500Kg

TRUCK MOUNTED



S1770C



S1470C



S1770C



S1470C



S1470C

Description Product

Truck Mounted

Model	Working Height	Capacity	Platform Size (mm)	Articulating type
S1470C	14.350mm	200	1.250x710x1.100	Steel single quads type
S1770C	17.200mm	220	1.400x700x1.100	Steel dual quads type
S2110C	20.000mm	220	1.400x700x1.100	Steel dual quads type
S2512C	24.800mm	220	1.400x700x1.100	Steel dual quads type
S2815C	27.800mm	220	1.400x700x1.100	Steel dual quads type

STACKER

(SEMI ELECTRIC) (MANUAL)



Description Product

Stacker Manual


Model	Capacity	Fork Height
SFH	1.000Kg - 2.000Kg	1.600mm - 3.000mm
WRSD	1.000Kg - 2.000Kg	1.600mm - 3.000mm

Stacker Semi Electric

Mast

Model	Capacity	Fork Height
CBS06/10/15/20-Z160	650 Kg - 2.000 Kg	1.600 mm - 3.500 mm
CBS06/10/15/20-K160	650 Kg - 2.000 Kg	1.600 mm - 4.000 mm

HAND PALLET



Hand Pallet Stainless



Hand Pallet Manual



Hand Pallet Manual



Hand Pallet Scissor



FP Series



Hand Pallet Scissor



Hand Pallet Scissor
Semi Elektrik

Description Product

Hand Pallet

Model	Capacity	Fork Size
Hand Pallet Manual	2.500Kg 3.000Kg 4.000Kg	520mm x 1.150mm 685mm x 1.220mm
Hand Pallet Scale (Timbangan)	2.000Kg	182mm x 50mm
Hand Pallet Stainless	2.000Kg	540mm x 1.100mm 685mm x 1.220mm
Hand Pallet Scissor	1.000Kg	540mm x 680mm
FP Series	400Kg	650mm x 110mm

PALLET MESH



Description Product

Model	Capacity (Kg)	Stack-ability (layers)	External Dimensions (mm)			Mesh (mm)		Legs Heights (mm)	Net Weight (Kg)	Volume M3
			Width	Length	Height	Wire Diameter	Pitch			
Stoky 2	800	4	500 (20")	800 (32")	550 (22")	6.0	50	100 (4")	25	0.14
Stoky 3	800	4	600 (24")	800 (32")	650 (26")	6.0	50	100 (4")	29	0.22
Stoky 5	1200	4	800 (32")	1000 (40")	850 (34")	6.0	50	100 (4")	47	0.52
Stoky 7	1500	4	1000 (40")	1200 (48")	900 (36")	6.0	50	100 (4")	66	0.84
Stoky 9	1500	4	1200 (48")	1400 (56")	950 (38")	6.0	50	100 (4")	82	1.25
Stoky 3-N	600	4	600 (24")	800 (32")	650 (26")	5.0	50x25	100 (4")	31	0.22
Stoky 5-M	800	4	800 (32")	1000 (40")	850 (34")	6.0	50x100	100 (4")	41	0.52
Stoky 7-M	1000	4	1000 (40")	1200 (48")	900 (36")	6.0	50x100	100 (4")	56	0.84

ATTACHMENT FORKLIFT



CJ16G-A1

ZK10Q-B1

FC30Q-B1

XZ10X-A1

RJ30ST-C1

LT12G-A1



YT09G-A1

ZJ27R-B4

YX18G-A5

RJ25ST-B4

GJ18J-A1

GJ18J-A2



XC15G-B1

YM45G-B1

RJ30RT-B1

ZK27G-B1

TL20C-B1

SC30D-B1



F306-B1

CJ16G-A2

QF30F-B1

QF35F-B1

QF30F-B1

YX18G-A6



RJ19RT-A1

RJ20ST-B1

RJ25ST-B2

SL15G-C2

RJ22ST-B1

XC27G-B1



TJ14S-A1

TJ19R-A1

TJ19R-A2

TJ14S-B1

GC30

GC70



TY25G-A2

JC30Q-B1

YX18G-A9

HX50G-B1

GJ18J-A1

GJ18J-A2

